

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**



(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
22 May 2003 (22.05.2003)

PCT

(10) International Publication Number  
WO 03/042790 A2

(51) International Patent Classification<sup>7</sup>: G06F

SCHMID, Christopher, A. [US/US]; 2111 Shadybriar,  
Houston, TX 77077 (US).

(21) International Application Number: PCT/US02/36618

(22) International Filing Date:  
14 November 2002 (14.11.2002)

(74) Agents: STUENKEL, Mark, E. et al.; Brooks & Kush-  
man, 1000 Town Center, Twenty-Second Floor, Southfield,  
MI 48075 (US).

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:  
09/992,596 14 November 2001 (14.11.2001) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE,  
SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US,  
UZ, VC, VN, YU, ZA, ZM, ZW.

(71) Applicant (*for all designated States except US*):  
TELECHECK SERVICES, INC. [US/US]; 5251  
Westheimer, Houston, TX 77056 (US)..


(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE,

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): MANFRE, Mario,  
P. [US/US]; 1702 Raven Oak Court, Katy, TX 77450 (US).

[Continued on next page]

(54) Title: ELECTRONIC CONFIRMATION TO DEBIT OR CREDIT AN ACCOUNT



(57) Abstract: A method for processing a check transaction includes receiving transaction information that is transmitted by a terminal; determining eligibility of the transaction for payment via a bank account; providing an electronic authorization response that is transmitted to the terminal, the authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account; and receiving an electronic response packet that is transmitted by the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank account.



ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK,  
TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,  
GW, ML, MR, NE, SN, TD, TG).

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

**Published:**

- *without international search report and to be republished upon receipt of that report*

## ELECTRONIC CONFIRMATION TO DEBIT OR CREDIT AN ACCOUNT

## BACKGROUND OF THE INVENTION

## 1. Field of the Invention

The invention relates to a method for processing a transaction that  
5 involves debiting or crediting a bank account.

## 2. Background Art

A prior method of paying for goods and/or services includes writing  
a check drawn against a checking account. It is also known to pay for goods and/or  
services by providing a checking account number to a merchant so that the merchant  
10 can initiate electronic transfer of funds from the checking account. Such  
transactions involving a check and/or a bank account, such as a checking account,  
may be referred to as check transactions. A known method for processing a check  
transaction includes entering transaction information, such as dollar amount of the  
transaction, check number and bank numbers, into a point of sale terminal. The  
15 terminal then communicates with an authorization source to obtain authorization for  
the check transaction. Once the transaction is authorized, the terminal captures or  
otherwise stores the transaction information. The transaction information is then  
uploaded to the host computer in batches and at certain time periods, such as at the  
end of each day, for settlement purposes.

20 If the authorization response sent by the host is not received by the  
merchant for whatever reason, such as failed communication link, the merchant will  
not know whether the transaction was successfully processed. As a result, the  
merchant may resubmit the transaction to the host computer. If the original  
transaction and subsequent transaction are both processed, the checking account may  
25 be debited twice.

Furthermore, under the above method, the merchant will not know whether the terminal accurately captured the transaction information. The merchant may also not know if the terminal accurately transmitted the transaction information to the host computer.

5

## SUMMARY OF THE INVENTION

The invention addresses the shortcomings of the prior art by providing an improved method and system for processing check transactions. Advantageously, the method and system involve obtaining electronic confirmation to debit bank accounts so that multiple debits for the same transaction may be  
10 reduced or eliminated.

Under the invention, a method for processing a check transaction includes receiving transaction information that is transmitted by a terminal; determining eligibility of the transaction for payment via a bank account; providing an electronic authorization response that is transmitted to the terminal, the  
15 authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account; and receiving an electronic response packet that is transmitted by the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank account.

20

The transaction identifier may be a numeric identifier that is used to uniquely identify the check transaction on an authorization source computer system, for example. The transaction identifier may, however, comprise one or more numbers, letters, symbols and/or images.

25

The method may further include storing the authorization response in an authorization response file, storing the response packet in a response packet file, and comparing the response packet file with the authorization response file prior to settling the transaction.

Further under the invention, a method of processing a check transaction includes providing transaction information to an authorization source using a terminal so as to determine eligibility of the transaction for payment via a bank account; receiving at the terminal an electronic authorization response provided  
5 by the authorization source, the authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account; and providing an electronic response packet to the authorization source using the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision  
10 regarding payment via the bank account.

A computer system according to the invention for processing a check transaction initiated by a terminal includes instructions for determining eligibility of the transaction for payment via a bank account; instructions for generating an electronic authorization response that is communicated to the terminal, the  
15 authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account; and instructions for receiving an electronic response packet provided by the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank account.

20 Further under the invention, a system for processing a check transaction includes a terminal for transmitting transaction information associated with the transaction, and an authorization source computer system in communication with the terminal and operative to receive the transaction information from the terminal. The authorization source computer system includes instructions for  
25 determining eligibility of the transaction for payment via a bank account, and instructions for generating an electronic authorization response for transmission to the terminal. The authorization response includes a unique transaction identifier if the transaction is eligible for payment via the bank account. Furthermore, the terminal is operative to receive the authorization response from the authorization  
30 source computer system and to transmit an electronic response packet to the authorization source computer system if the transaction is eligible for payment via

the bank account. The response packet includes the unique transaction identifier and a transaction decision regarding payment via the bank account.

These and other objects, features and advantages of the invention are readily apparent from the following detailed description of the preferred  
5 embodiments for carrying out the invention when taken in conjunction with the accompanying drawings.

### BRIEF DESCRIPTION OF THE DRAWINGS

FIGURE 1 is a schematic view of a system according to the invention  
10 for processing check transactions; and

FIGURE 2 is a flow chart illustrating steps of a method according to the invention for processing check transactions.

### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT(S)

Figure 1 shows a system 10 for processing check transactions  
15 according to the invention. The term "check transaction" as used herein refers to a transaction involving the purchase or sale of goods and/or services, for which a check and/or a bank account, such as a savings account or a checking account, is used as the method of payment. Suitable types of checks include, for example, personal checks, traveler's checks, credit card checks, and other corporate checks.  
20 Similarly, suitable bank accounts include personal bank accounts and corporate bank accounts.

The system 10 includes one or more transaction initiating terminals, such as a point of sale (POS) terminal 12 and a personal computer 14. The POS terminal 12 may include a key pad 16, a display device 18, an imaging device 20 for  
25 creating electronic images of checks, and/or a check reader 21 for electronically reading information from checks. In one embodiment of the invention, the POS terminal 12 is an Eclipse® terminal available from (Corporation) of (City and State).



Similarly, the computer 14 includes a key pad 22 and a display device 24. The computer 14 may also include an imaging device (not shown) and/or a check reader (not shown) that are similar to the imaging device 20 and check reader 21.

5 The POS terminal 12 is preferably owned and/or operated by a merchant engaged in the business of selling goods and/or services. The computer 14 may also be owned and/or operated by the merchant. Alternatively, the computer 14 may be owned and/or operated by a customer attempting to purchase goods and/or services from the merchant.

10 The initiating terminals 12 and 14 are in communication with a merchant computer system 26 via any suitable communication system or network, such as a local area network, a wide area network, a dial-up network, the Internet, a wireless network or any combination thereof. While the merchant computer system 26 may include one or more computers, in the embodiment shown in Figure 1, for example, the merchant computer system 26 includes a merchant host 28 in  
15 communication with a merchant gateway 30.

The merchant gateway 30 includes hardware and/or software necessary for transmitting information between the merchant host 28 and another computer or electronic device. When transmitting information to the merchant host 28, the merchant gateway 30 may also translate the information into a suitable  
20 language recognizable by the merchant host 28.

The merchant computer system 26 is in communication, via any suitable communication system or network, with an authorization source computer system 32 of an authorization source for obtaining authorization of check transactions. While the authorization source computer system 32 may include one  
25 or more computers, in the embodiment shown in Figure 1, the authorization source computer system 32 includes an authorization gateway 34 in communication with an authorization host 36. The authorization gateway 34 includes hardware and/or software necessary for transmitting information between the authorization host 36 and another computer or electronic device, such as the merchant host 28. When

transmitting information to the authorization host 36, the authorization gateway 34 may also translate the information into a suitable language recognizable by the authorization host 36.

5 The authorization source computer system 32 may be in communication, via any suitable communication system or network, with one or more financial institutions 38 so as to obtain bank account information or other information.

10 In an alternative embodiment of the system 10, the initiating terminals 12 and 14 may be linked directly with the authorization gateway 34 and/or authorization host 36 via any suitable communication system or network, such as described above in detail. With such a configuration, the initiating terminals 12 and 14 may communicate directly with the authorization gateway 34 and/or authorization host 36.

15 Figure 2 is a flow chart illustrating operation of a method or system, such as system 10, for processing a check transaction according to the invention. As will be appreciated by one of ordinary skill in the art, many of the steps in Figure 2 represent control logic which may be affected or implemented by hardware, software, or a combination of hardware and software.

20 At step 100 of Figure 2, transaction information may be entered into the POS terminal 12, such as by using the key pad 16. The transaction information may include, for example, customer information such as customer name, check number of a check to be used as payment, and one or more bank numbers associated with the check. Such bank numbers may include, for example, an account number associated with the check, such as a checking account number and/or savings  
25 account number, a routing number of financial institution 38, or other financial institution associated with the check. The transaction information may also include additional information such as dollar amount of the transaction, store code of the merchant, a merchant identifier associated with the merchant, etc. Alternatively or

supplementally, the imaging device 20 and/or check reader 21 may be used to enter transaction information associated with the check into the POS terminal 12.

Next, the transaction information is captured or otherwise stored on the POS terminal 12 at step 101. The transaction information is then transmitted or otherwise communicated from the POS terminal 12 to the merchant host 28, at step 102. In addition to or as an alternative to storing the transaction information on the POS terminal 12, the transaction information may be captured or otherwise stored on the merchant host 28. At step 104, the transaction information and an authorization request are communicated from the merchant host 28 through the gateways 30 and 34 to the authorization host 36. Alternatively, the transaction information and authorization request may be transmitted or otherwise communicated from the POS terminal 12 directly to the authorization gateway 34 and/or authorization host 36.

At step 106, the authorization host 36 determines eligibility of the transaction for payment via a bank account associated with the check, such as a checking account and/or savings account. For example, the authorization host 36 may determine eligibility based on bank account rules developed by the authorization host 36 and/or provided by the financial institution 38. As another example, the authorization host 36 may communicate with the financial institution 38 to determine if sufficient funds exist in the bank account.

Next, at step 108, the authorization host 36 generates an electronic authorization response, such as an electronic check acceptance (ECA) response. The ECA response preferably, but not necessarily, includes some or all of the transaction information, as well as a transaction identifier if the transaction is eligible for payment via the bank account. The transaction identifier may be a numeric identifier that is used to uniquely identify the check transaction on the authorization host 36, or elsewhere. The transaction identifier may, however, comprise one or more numbers, letters, symbols and/or images. The ECA response may also include a confirmation request message, for requesting that the merchant

confirm whether or not the customer wishes to proceed with payment via the bank account.

Next, at step 110, the authorization host 36 stores the ECA response. For example, the ECA response may be stored as an authorization response file or transaction record file. At step 112, the authorization host 36 communicates or  
5 otherwise provides the ECA response to the POS terminal 12 through the gateways 34 and 30 and merchant host 28. Alternatively, the authorization host 36 or authorization gateway 34 may communicate or otherwise provide the ECA response directly to the POS terminal 12.

10 When the POS terminal 12 receives the ECA response, the ECA response may be displayed on the display device 18. For example, the display device 18 may display the following message: "Transaction approved; transaction identifier is 0123. Does customer want ECA?" At step 114, the merchant enters a check transaction decision into the POS terminal 12 that indicates whether or not  
15 the customer wishes to proceed with the check transaction. The POS terminal 12 combines this decision with the ECA response to form an ECA response packet. Thus, the ECA response packet includes the transaction identifier as well as the customer's decision regarding the check transaction. If the customer decides to proceed with the check transaction, then the ECA response packet may be referred  
20 to as an electronic confirmation to debit the customer's bank account.

At step 115, the POS terminal 12 captures or otherwise stores the ECA response packet. Next, at step 116, the ECA response packet is communicated from the POS terminal 12, through the merchant host 28 and gateways 30 and 34, to the authorization host 36. Alternatively, the ECA response packet may be  
25 communicated from the POS terminal 12 directly to the authorization gateway 34 and/or authorization host 36. The authorization host 36 then stores the ECA response packet in an ECA response packet file, at step 118. At step 120, the authorization host 36 may also send a notice to the POS terminal 12 and/or merchant host 28 confirming that the ECA response packet was received. Such a notice may  
30 be referred to as an electronic confirmation of receipt of the ECA response packet.

Next, at step 122, the authorization host 36 compares the ECA response packet file with the corresponding transaction record file. If the transaction identifier and/or other transaction information in the ECA response packet file does not match the transaction identifier and/or other transaction information in the corresponding transaction record file, then the authorization host 5 36 may terminate the check transaction and return an error message to the POS terminal 12. Such an error message may be communicated directly to the POS terminal 12, or routed through the gateways 34 and 30 and merchant host 28. If, on the other hand, the transaction identifier and/or other transaction information in 10 the ECA response packet file matches the transaction identifier and/or other transaction information in the corresponding transaction record file, then the check transaction is ready for settlement.

Settlement includes a first settlement process between the authorization source, which functions as an acquirer, and the merchant. Settlement 15 also includes a second settlement process between the authorization source and the financial institution 38 associated with the bank account.

Settlement of the check transaction may occur in any suitable manner. For example, at step 124, the POS terminal 12 or the merchant host 28 may generate a settlement request to settle the check transaction. Preferably, the 20 settlement request is transmitted concurrently with the ECA response packet so that the check transaction may be settled immediately between the authorization source and the merchant. As another example, the POS terminal 12 or the merchant host 28 may submit, at a predetermined time, a batch of transactions for settlement. As yet another example, the authorization host 36 may determine when to settle the 25 transaction or batch of transactions.

Because the method of the invention involves utilizing an ECA response packet, the method provides a safeguard against multiple debiting of a bank account for the same check transaction. Furthermore, because the ECA response, sent directly or indirectly from the authorization host 36 to the POS terminal 12, 30 may include some or all of the transaction information originally entered into the

POS terminal 12, the merchant will be able to confirm whether or not the POS terminal 12 accurately stored and transmitted the transaction information.

5       The method of the invention may also include a similar process for crediting a bank account, such as a checking account or a savings account. For example, credit transaction information associated with a credit transaction may be entered into the POS terminal 12, such as by using the key pad 16. The credit transaction information may include, for example, customer information such as customer name and bank account number. The credit transaction information may also include additional information such as store code and merchant identifier.

10       Next, the credit transaction information is captured or otherwise stored on the POS terminal 12. The credit transaction information is then transmitted from the POS terminal 12 to the merchant host 28. The credit transaction information may also be captured or otherwise stored on the merchant host 28. The credit transaction information and a credit authorization request are  
15 then communicated from the merchant host 28 through the gateways 30 and 34 to the authorization host 36. Alternatively, the credit transaction information and credit authorization request may be transmitted or otherwise communicated from the POS terminal 12 directly to the authorization gateway 34 and/or authorization host 36.

20       In response to the credit authorization request, the authorization host 36 may confirm that the bank account is active and eligible for an electronic credit. The authorization host 36 may then generate an electronic authorization response, such as an electronic bank account credit (EBAC) response. The EBAC response preferably, but not necessarily, includes some or all of the credit transaction  
25 information, as well as a credit transaction identifier if the bank account is eligible for an electronic credit. The credit transaction identifier may be a numeric identifier that is used to uniquely identify the credit transaction on the authorization host 36, or elsewhere. The credit transaction identifier may, however, comprise one or more numbers, letters, symbols and/or images. The EBAC response may also include a

confirmation request message for requesting that the merchant confirm whether or not the customer wishes to proceed with the credit transaction.

Next, the authorization host 36 stores the EBAC response. For example, the EBAC response may be stored as a credit authorization response file or transaction record file. The authorization host 36 then communicates or otherwise provides the EBAC response to the POS terminal 12 through the gateways 34 and 30 and merchant host 28. Alternatively, the authorization host 36 or authorization gateway 34 may communicate or otherwise provide the EBAC response directly to the POS terminal 12.

When the POS terminal 12 receives the EBAC response, the EBAC response may be displayed on the display device 18. For example, the display device 18 may display the following message: "Credit transaction approved; transaction identifier is 0456. Does customer want to proceed with credit?" The merchant then enters a credit transaction decision into the POS terminal 12 that indicates whether or not the customer wishes to proceed with the credit transaction. The POS terminal 12 combines this decision with the EBAC response to form an EBAC response packet. Thus, the EBAC response packet includes the credit transaction identifier as well as the customer's decision regarding the credit transaction. If the customer decides to proceed with the credit transaction, then the EBAC response packet may be referred to as an electronic confirmation to credit the customer's bank account.

Next, the POS terminal 12 captures or otherwise stores the EBAC response packet. The EBAC response packet is then communicated from the POS terminal 12, through the merchant host 28 and gateways 30 and 34, to the authorization host 36. Alternatively, the EBAC response packet may be communicated from the POS terminal 12 directly to the authorization gateway 34 and/or authorization host 36. The authorization host 36 then stores the EBAC response packet in an EBAC response packet file. The authorization host 36 may also send a notice to the POS terminal 12 and/or merchant host 28 confirming that

the EBAC response packet was received. Such a notice may be referred to as an electronic confirmation of receipt of the EBAC response packet.

Next, the authorization host 36 compares the EBAC response packet file with the corresponding transaction record file. If the credit transaction identifier and/or other credit transaction information in the EBAC response packet file does not match the credit transaction identifier and/or other credit transaction information in the corresponding transaction record file, then the authorization host 36 may terminate the credit transaction and return an error message to the POS terminal 12. Such an error message may be communicated directly to the POS terminal 12, or routed through the gateways 34 and 30 and merchant host 28. If, on the other hand, the credit transaction identifier and/or other credit transaction information in the EBAC response packet file matches the credit transaction identifier and/or other credit transaction information in the corresponding transaction record file, then the credit transaction is ready for settlement.

Settlement includes a first settlement process between the authorization source and the merchant. Settlement also includes a second settlement process between the authorization source and the financial institution 38 associated with the bank account.

Settlement of the credit transaction may occur in any suitable manner. For example, the POS terminal 12 or the merchant host 28 may generate a settlement request to settle the credit transaction. The settlement request may be transmitted concurrently with the EBAC response packet so that the credit transaction may be settled immediately between the authorization source and the merchant. As another example, the POS terminal 12 or the merchant host 28 may submit, at a predetermined time, a batch of credit transactions for settlement. As yet another example, the authorization host 36 may determine when to settle the credit transaction or batch of credit transactions.

Advantageously, the method of the invention may also be practiced over the Internet. In such a case, the computer 14 may be utilized by a customer to



access a web site of a merchant. The computer 14 may then be used to perform the method steps of the POS terminal 12 described above in detail.

5 While embodiments of the invention have been illustrated and described, it is not intended that these embodiments illustrate and describe all possible forms of the invention. Rather, the words used in the specification are words of description rather than limitation, and it is understood that various changes may be made without departing from the spirit and scope of the invention.

## WHAT IS CLAIMED IS:

1. A method for processing a check transaction, the method comprising:

5 receiving transaction information that is transmitted by a terminal;  
determining eligibility of the transaction for payment via a bank account;

providing an electronic authorization response that is transmitted to the terminal, the authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account; and

10 receiving an electronic response packet that is transmitted by the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank account.

15 2. The method of claim 1 wherein the transaction identifier includes a number.

3. The method of claim 1 wherein the transaction identifier includes a letter.

4. The method of claim 1 wherein the transaction identifier includes a symbol.

20 5. The method of claim 1 further comprising storing the authorization response in an authorization response file, storing the response packet in a response packet file, and comparing the response packet file with the authorization response file prior to settling the transaction.

25 6. The method of claim 1 further comprising providing an electronic confirmation of receipt of the response packet that is transmitted to the terminal.

7. The method of claim 1 further comprising receiving a settlement request, and settling the transaction in response to the settlement request.

8. The method of claim 7 wherein the step of receiving a settlement request occurs simultaneously with the step of receiving an electronic response packet.

9. The method of claim 7 wherein the step of receiving a settlement request occurs after the step of receiving an electronic response packet.

10. A method of processing a check transaction, the method comprising:

10 providing transaction information to an authorization source using a terminal so as to determine eligibility of the transaction for payment via a bank account;

15 receiving at the terminal an electronic authorization response provided by the authorization source, the authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account; and

20 providing an electronic response packet to the authorization source using the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank account.

11. The method of claim 10 further comprising receiving at the terminal an electronic confirmation of receipt of the response packet provided by the authorization source.

25 12. The method of claim 10 further comprising storing the response packet at the terminal.

13. The method of claim 12 further comprising storing the response packet at a host computer in communication with the terminal, and

comparing at a predetermined time interval the response packet stored at the terminal with the response packet stored at the host computer.

14. A computer system for processing a check transaction initiated by a terminal, the computer system comprising:

5 instructions for determining eligibility of the transaction for payment via a bank account;

instructions for generating an electronic authorization response that is communicated to the terminal, the authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account;  
10 and

instructions for receiving an electronic response packet provided by the terminal if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank account.

15 15. The computer system of claim 14 further including instructions for storing the authorization response in an authorization response file, instructions for storing the response packet in a response packet file, and instructions for comparing the response packet file with the authorization response file prior to settling the transaction.

20 16. The computer system of claim 14 further including instructions for providing an electronic confirmation of receipt of the response packet to the terminal.

17. A system for processing a check transaction, the system comprising:


25 a terminal for transmitting transaction information associated with the transaction; and

an authorization source computer system in communication with the terminal and operative to receive the transaction information from the terminal, the authorization source computer system including instructions for determining


eligibility of the transaction for payment via a bank account, and instructions for generating an electronic authorization response for transmission to the terminal, the authorization response including a unique transaction identifier if the transaction is eligible for payment via the bank account;

- 5                wherein the terminal is operative to receive the authorization response from the authorization source computer system and to transmit an electronic response packet to the authorization source computer system if the transaction is eligible for payment via the bank account, the response packet including the unique transaction identifier and a transaction decision regarding payment via the bank
- 10    account.
-

1/2



2/2

*Fig. 2*

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (USPTO)